

# I'VE GOT THE POWER2GO

Your transportable Energy  
Storage System



E-Mobility



Drive  
System



Energy Storage  
Systems



Power- and  
Gardentools



Industrial



Medical

# TECHNICAL DETAILS











Technical Properties	POWER2GO LIFE	POWER2GO WORK
Cell type	Lithium-ion	Lithium-ion
Energy content	2.500 Wh	2.500 Wh
Nominal power	2.500 W	2.500 W
Max.Power	3.600 W	3.600 W
Charging voltage	92-264 Vac	92-264 Vac
Charging power	1.000 W	1.000 W
AC output @230Vac	1x 230 V (safety plug)	2x 230 V (safety plug)
1x AC input	C14 connector (cold appliance plug)	C14 connector (cold appliance plug)
Net weight	~23 kg	~23 kg
Dimension	~452x373x192 mm (not fixed)	~471x507x227 mm (not fixed)
Operating temperature	~10 to 65°C	~10 to 65°C
Extras	Display, light, LED indicator for current use	LED display for current use
Material of the housing	Aluminium	Aluminium
IP class	IP65	IP65
Certification	UN 38.3, CE	UN 38.3, CE
Charging by solar panels	<500 W	<500 W

# NO SOCKET? NO PROBLEM!

Life is perfect when you're free! You can do everything! Everywhere! If only ... the battery wouldn't be low again. The pursuit of freedom is both the deepest basic human need and the basis for innovation and success. Wouldn't it be amazing to be independent from the grid? You long for a powerbank thought big? It's time to make it happen!

It's the era of **POWER2GO!**

No matter if it is your vacation, your passion, your profession or all together. From camper to photographer, DJ or digital nomad. Be what you want to be; unleashed from the stationary power grid. The portable energy storage unit **POWER2GO** provides a constant, long-term power output of 2,500 watts and can even run devices with peak power levels of up to 3,000 watts with ease. It will run your laptop for 38 hours or your chainsaw for more than three hours.

	<b>10W</b>	15.000 min
	<b>65W</b>	2.280 min
	<b>420W</b>	360 min
	<b>800W</b>	200 min
	<b>1.000W</b>	150 min
	<b>1.200W</b>	124 min
	<b>1.200W</b>	125 min
	<b>2.200W</b>	70 min

## SOLAR PANELS IN A BUNDLE

Get your offer now at  
[www.bmz-group.com](http://www.bmz-group.com)



# Any questions?

Contact us, we will be pleased to advise you.

## Headquarter

BMZ Germany GmbH

Zeche Gustav 1  
63791 Karlstein am Main  
Deutschland

T: +49 6188-9956-0  
E: mail@bmz-group.com

### BMZ USA Inc.

1429 Miller Store Road  
Virginia Beach  
VA 23455  
USA

T: +1-757 821-8494  
E: contact-usa@bmz-group.com

### BMZ Company Ltd.

Julong Technology Building B  
Cuibao Road, Longgang District,  
Shenzhen, Guangdong Province  
P.R.China 518116

T: +86 755 8977 5800  
E: contact.cn@bmz-group.com

### BMZ Poland Sp. z o.o.

Alberta Einsteina 9  
44-109 Gliwice  
Polen

T: +48 327842 450  
E: BMZPolandSales@bmz-group.com

### BMZ Innovation Group Ltd.

Future Business Centre  
Kings Hedges Road  
Cambridge, CB4 2HY  
United Kingdom

T: +44 7391 351787  
E: lukas.gazda@bmz-group.com

### BMZ Japan KK

Shitaya 1-6-5, Taito-ku,  
Tokyo, 110-0004  
Japan

T: +81 35811 1973  
E: tokiyo.kobayashi@bmz-group.com

### BMZ France S.A.R.L.

153 Boulevard Haussmann  
75008 Paris  
Frankreich

T: +33 06 84 52 76 29  
E: nicolas.noel@bmz-group.com

[www.bmz-group.com](http://www.bmz-group.com)



© BMZ 2023

All rights reserved. Preliminary data sheet. Although great care has been taken in the preparation of this data sheet, BMZ accepts no responsibility for any errors or omissions. responsibility for any errors or omissions. All information contained herein is subject to change without notice.